


UTILITY PRODUCTS



Increase your visibility.
Use Plasticade.



TRENCH COVERS & MANHOLE GUARD

Lighter than steel,
stronger than wood

Trench Covers - 35" & 27"

Two sizes

- designed to cover trenches up to 35" and 27"

Takes the weight of a vehicle up to 4,410 lbs

Anti-slip surface

Deters metal thieves

Beveled edge prevents tripping

Molded from a single piece of fiberglass composite
- underside has ribbed framework for added strength

Secure with 4 bolts

Available in yellow

35" Trench Cover Dimensions: 63"L x 47.2"W x 1.18"H, 73 lbs.

27" Trench Cover Dimensions: 47.2"L x 31.5"W x 0.93"H, 26.5 lbs.



Steel Plates with Cold Patch



Plasticade Trench Covers



Pedestrian Trench Cover

Ideal for Sidewalk Construction

For Pedestrians Only - takes up to 553 lbs.

Covers trenches up to 27.5"

Anti-slip surface

Smooth rubber edge greatly reduces tripping hazard

Resists sliding, no need to bolt down
- flexible material which grips the surface underneath

Available in yellow

Overall Dimensions: 44.3"L x 44.3"W x 0.7"H, 62 lbs.



Safegate Manhole Guard

Nonconductive (dielectric), no metal used

Great for protecting any area requiring temporary restriction of access

Hinged clips make it easy to configure sections into rectangles of various sizes

Locking clamp connects straight sections

Folds up easily for storage and sets up quickly


Carry handles for transport

Longer life than metal, replacement sections available

Available in yellow

Dimensions for single section: 39.4"H x 29.5"W Weight: 4.4 lbs.

Nonconductive
(no metal used)



WHEEL CHOCKS


Made of 100% post-consumer recycled rubber

Will not compress, warp, chip, or crack

UV, oil, and weather resistant

Can be customized

- your name or logo embossed in the chock
- paint for greater visibility and easy identification



Width Fits Against Tire



Ridges in chock grip the tire aiding traction on select chock models



Your Name or Logo Embossed
200 minimum order quantity

Automotive & Industrial Chocks Come Standard With Eye bolt




5.25"W x 6.75"D x 4.5"H
3.5 lbs.



5"W x 9"D x 6"H
6.5 lbs.



10"W x 8"D x 6"H
8 lbs.



Painted Chocks for
Greater Visibility & Quick Identification
Standard Colors:
Orange, Red, Blue, Yellow, White, & Green
200 minimum order quantity required

*Metal Hairpin Option
painted steel 4" x 1.75"*

*Metal Pole Step Handle Option
7"L galvanized steel*



9.75"W x 7.75"D x 5"H
10 lbs.



10"W x 8"D x 6"H
11.5 lbs.



6.75"W x 9.25"D x 8"H
12 lbs.



8.75"W x 8.5"D x 7"H
15 lbs.



SIGN STANDS - SAFETY SIGNAGE

① Choose a Sign Stand

- 6 Sizes
- 3 Colors: white, yellow, or orange



Barricades
Hold signs
24"W x 12"H
on top panel

4 Types:
Plasticade®
Fibercade™
Econocade™
Combocade™



Squarecade™ 45
Holds signs
24"W x 24"H

Dimensions:
45"H x 25"W
18 lbs.



Squarecade™ 36
Holds signs
24"W x 24"H

Dimensions:
36"H x 25"W
17 lbs.



Narrowcade®
Holds signs
12"W x 24"H

Dimensions:
45"H x 13"W
11 lbs.



Minicade®
Holds signs
12"W x 24"H

Dimensions:
36"H x 13"W
10 lbs.



Signicade®
Holds signs
24"W x 36"H

Dimensions:
45"H x 25"W
18 lbs.

② Choose a Sign Legend

- Over 100 Standard Designs
- Custom Design Your Own Sign

③ Plasticade will Professionally Apply the Legend to the Sign Stand

- Hassle Free
- Guaranteed Application

PLASTICADE®
100 Howard Avenue
Des Plaines, IL 60018
phone (800) 772-0355
fax (847) 966-8074
Plasticade.com



Distributed By:

FLAGGER STATION & WORK AREA LIGHTING

8 foot light elevation

Collapsible aluminum extension mast
- cam lock adjustments with retractable cable

Battery rated for 500+ charge cycles
- push to test voltage meter

DC Power Port
- operate unit with external 12 VDC power
- run other DC powered electrical devices

Charge with clamp style jumper cables
- can jump start vehicle

Lamp heads are independently, directionally adjustable

Yellow LED flasher on unit for added safety

Legs stable on uneven ground, retract for storage

Weatherproof case


Lifetime warranty on light heads

One year replacement warranty on battery and charger

Weight: 44 lbs. Storage Dimensions: 26"H x 17.5"W x 8"D



Sets Up
In Seconds



Pos(+) and Neg(-)
jumper cable connection posts



Dual LED Light Head
4000 Total Lumens (2,000 each light head)
24 Watts, 2 amps, for the two heads
Full Charge Run Time:
• 14+ hrs. with both light heads on
• 25+ hrs. with one light head on



Internal Battery Specifications

- 12 VDC sealed 35 amp hour AGM lead acid battery
- Built in 110-240 VAC, 50/60 Hz
- UL approved 3 amp charge system
- Safely stored/operated at -40°F to 140°F
- Recommend continuous charging when light is not in use
- if fully depleted, may require 24 hours to fully recharge

Light Head Specifications

- IP-68 rated dust proof and waterproof
- 60° beam pattern
- Anodized aluminum frame with a polycarbonate lens



115 VAC power and
DC to DC power cords
included



Charge DC Powered Electrical Devices
(DC computer adapter not included)

PVC TRAFFIC CONES

High visibility PVC injection molded cones

- 36" available in 10 lbs. and 12 lbs.,
- 28" available in 7 lbs. and 10 lbs., and Slim Body 7 lbs.
- 18" available in 3 lbs.

Recycled rubber cone weights available for 28" & 36" cones
- 5 lbs. and 7 lbs.

Fluorescent orange color is molded throughout

- resists fading
- provides high visibility protection

One piece design - cone is permanently molded to black base

- won't separate when hit by a vehicle
- rubber base designed to grip the road

36" & 28" cones have handgrip at top

Durable and reboundable

Stable on the road, won't be blown over

Stackable for storage, no sticking when removed

36" & 28" cones have recessed areas that accept high intensity white collars

- 3M™ collars have excellent wide angle retroreflectivity

Stenciling available

NCHRP-350 Accepted, Meets MUTCD Standards





Telescoping Cone Bars

Expand from 4' to 7'

Available in reflective orange on white
and reflective yellow on black

Quick installation to provide high visibility barrier

Portable and versatile, lightweight, 2 lbs.



**Cone Weights Available
5 lbs. and 7 lbs.**

WATCHTOWER™ DELINEATOR

Watchtower handle has ergonomic, comfort grip
 - dome cap provides strength and durability
 - easy placement and pick-up

Two sizes
 - 42" (47"H with handle)
 - 28" (33.6"H with handle)

Recessed areas accept two bands of sheeting
 - protects retroreflective sheeting from rips and scratches


Flange on bottom grabs base for tight fit

Durable polyethylene
 - bright orange for visibility

Recycled rubber bases, 8, 10, 12, and 18 lbs.

Weight: 42"H - 1.7 lbs., 28"H - 1.25 lbs.

NCHRP-350 Accepted, Meets MUTCD Standards



Great for Caution Tape



Easy Grip Handle

WATCHTOWER™ STACKER CONE

42" tall

Stack up to 20% more on your truck!
 - new compact nesting design

Strong, ergonomic handle
 - speeds placement on job
 - fits two hands to make lifting with base easier
 - string caution tape through handles

Recessed area protects sheeting

Use with 10, 16, or 30 lb. recycled rubber base

Accepts same bases as our Navicade™ delineator
 - reduces your base inventory

Customize with your company name or logo

Available in orange

Weight: 46.25"H x 11"W - 2.25 lbs.

NCHRP-350 Accepted, Meets MUTCD Standards



Ergonomic handle makes placement of cones easy, even with heavy base



String caution tape through handles

